L Number	Hits	Search Text	DB	Time stamp
70	225	((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:30
		((three "3") near bytes)) near3 ((data	US-PGPUB;	
		instruction) adj bus)))and microprocessor)	EPO; JPO;	
1			DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	<pre>IBM_TDB USPAT;</pre>	2004/08/20 16:03
71	152	((@ad < "20010430") and (((("24" adj bit)	US-PGPUB;	2004/08/20 16:03
		((three "3") near bytes)) near ((data instruction) adj bus)))and microprocessor)	EPO; JPO;	
		instruction, and pus, // and wicroprocessor/	DERWENT;	
			IBM TDB	·
72	3	(((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:48
	2	((three "3") near bytes)) near ((data	US-PGPUB;	
		<pre>instruction) adj bus)))and microprocessor))</pre>	EPO; JPO;	
		and (((three "3") near byte) near2	DERWENT;	
		instruction)	IBM_TDB	
73	13	(((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:56
		((three "3") near bytes)) near3 ((data	US-PGPUB;	
		instruction) adj bus)))and microprocessor))	EPO; JPO;	
	`	and (((three "3") near byte) near2	DERWENT;	
		instruction)	IBM_TDB	2004/08/20 15:57
74	13	(((@ad < "20010430") and (((("24" adj bit) ((three "3") near bytes)) near3 ((data	USPAT; US-PGPUB;	2004/08/20 15:57
		((three "3") hear bytes)) hear3 ((data instruction) adj bus)))and microprocessor))	EPO; JPO;	
		and ((((three "3") near byte)	DERWENT;	'
		(US-5442769-A.DID. adj bit)) near2	IBM_TDB	
		instruction)		
75	. 6	(@ad < "20010430") and (("24" adj bit) adj	USPAT;	2004/08/20 16:03
		microprocessor)	US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
			IBM_TDB	2002/02/20 10 20
-	305	((((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/03/20 19:20
		and @ad < "20010430") and (add\$3	US-PGPUB;	
		increment\$3)	EPO; JPO; DERWENT;	
			IBM TDB	
_	212	((((711/201,202,212,219).CCLS.) and column)	USPAT;	2004/08/18 17:34
	212	and @ad < "20010430") and ((add\$3	US-PGPUB;	
		increment\$3) with address)	EPO; JPO;	
			DERWENT;	
-			IBM_TDB	1
-	4317	(365/230.01,230.03).CCLS.	USPAT;	2003/03/20 19:19
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM TDB	
ا	4064	((365/230.01,230.03).CCLS.) and @ad	USPAT;	2003/03/20 19:20
	4004	<20010430	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	917		USPAT;	2003/03/20 19:20
		<20010430) and ((add\$3 increment\$3) with	US-PGPUB;	
		address)	EPO; JPO;	
			DERWENT;	
		////255/220 01 220 02) 0010 \ 02-4	IBM_TDB	2003/03/20 19:20
-	654	((((365/230.01,230.03).CCLS.) and @ad <20010430) and ((add\$3 increment\$3) with	USPAT; US-PGPUB;	2003/03/20 19:20
		address)) and column	EPO; JPO;	
		databby, and column	DERWENT;	
			IBM TDB	
	1440	(711/201,202,212,219).CCLS.	USPAT;	2003/06/16 08:53
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/05/55 55 55
-	111	((((((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/06/16 08:54
		and @ad < "20010430") and ((add\$3	US-PGPUB;	
		increment\$3) with address)) and multiplex\$3	EPO; JPO; DERWENT;	
			IBM TDB	
l	L		1 1011 100	

				222/25/15 22 22
-	367	(((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/06/16 09:00
		and @ad < "20010430"	US-PGPUB;	
			EPO; JPO;	L.
			DERWENT;	•
			IBM_TDB	2003/06/16 09:07
-	84	(((((((711/201,202,212,219).CCLS.) and	USPAT;	2003/06/16 09:07
		column) and @ad < "20010430") and ((add\$3	US-PGPUB;	
		increment\$3) with address)) and multiplex\$3)	EPO; JPO;	
		and (parallel simultaneous)	DERWENT;	
		a. (IBM_TDB	2003/06/16 09:11
-	350	(((((365/230.01,230.03).CCLS.) and @ad	USPAT; US-PGPUB;	2003/00/10 09:11
		<20010430) and ((add\$3 increment\$3) with	EPO; JPO;	·
		address)) and column) and multiplex\$3	DERWENT;	
			IBM TDB	
		(810 /010 205) GGTG	USPAT;	2004/08/18 16:39
-	621	(712/210,205).CCLS.	US-PGPUB;	2004/00/10 10:33
			EPO; JPO;	
	Ì		DERWENT;	
			IBM TDB	
	65	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:44
i -	65	and (instruction with (three near2 bytes))	US-PGPUB;	2302, 33, 33
		and (instruction with (three hears bytes))	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
	57	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:46
_	5/	and (instruction with (three near2 bytes))	US-PGPUB;	, ., =
		and (instruction with (two near2 bytes)) and	EPO; JPO;	
		(instruction with ((one "1" single) near2	DERWENT;	
		byte))	IBM TDB	
l _	42		USPAT;	2004/08/18 16:56
		and (instruction with (three near bytes))	US-PGPUB;	
		and (instruction with (two near bytes)) and	EPO; JPO;	
		(instruction with ((one "1" single) near	DERWENT;	
		byte))	IBM TDB	
_	0	1	USPAT;	2004/08/18 17:26
		and ((instruction with (three near bytes))	US-PGPUB;	2
		with ((single one) near2 fetch)) and	EPO; JPO;	
		(instruction with (two near bytes)) and	DERWENT;	
		(instruction with ((one "1" single) near	IBM_TDB	1
		byte))		
-	0		USPAT;	2004/08/18 16:55
		and ((instruction with (three near bytes))	US-PGPUB;	İ
		with fetch) and (instruction with (two near	EPO; JPO;	
		bytes)) and (instruction with ((one "1"	DERWENT;	[.
,		single) near byte))	IBM_TDB	0004/00/10 16:55
-	0	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:55
		and ((instruction near3 (three near bytes))	US-PGPUB;	
		with fetch) and (instruction with (two near	EPO; JPO;	•
		bytes)) and (instruction with ((one "1"	DERWENT; IBM TDB	
	1	single) near byte))	USPAT;	2004/08/18 16:55
-	, 2	(((712/210,205).CCLS.) and @ad < "20010430")	US-PGPUB;	2004/00/10 10:55
	1	and ((instruction near3 (three near bytes))	EPO; JPO;	
1		same fetch) and (instruction with (two near bytes)) and (instruction with ((one "1"	DERWENT;	
	}		IBM TDB	
	1 22	single) near byte)) (((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:57
-	33	and (instruction with (three near bytes))	US-PGPUB;	
		and (instruction with (three hear bytes)) and (instruction with (two near bytes)) and	EPO; JPO;	
	1	(instruction with ((one "1" single) near	DERWENT;	
	1	byte)) and (instruction with fetch)	IBM TDB	
_	3		USPAT;	2004/08/18 17:27
_	1	((single one) near2 fetch)) and (instruction	US-PGPUB;	,
		with (two near bytes)) and (instruction with	EPO; JPO;	
	1	((one "1" single) near byte))	DERWENT;	
		, (one	IBM_TDB	
_	5	((instruction with (three near bytes)) with	USPAT;	2004/08/18 17:28
		(fetch)) and (instruction with (two near	US-PGPUB;	
		bytes)) and (instruction with ((one "1"	EPO; JPO;	
		single) near byte))	DERWENT;	
			IBM_TDB	
		The state of the s		

-	512	((711/201,202,212,219).CCLS.) and column	USPAT;	2004/08/18 17:33
			US-PGPUB;	
			EPO; JPO;	_
			DERWENT;	
			IBM_TDB	2004/08/18 17:34
-	589	((712/210,205).CCLS.) and instruction	USPAT;	2004/08/18 17:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	35	((712/210,205).CCLS.) and (instruction near	USPAT;	2004/08/18 17:38
_	3.5	((three "3") near bytes))	US-PGPUB;	, ,
		((thice 5) hear byces/)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	37217	(((712/210,205).CCLS.) and (instruction near	USPAT;	2004/08/18 17:37
		((three "3") near bytes))) and @ad	US-PGPUB;	
		"20010430"	EPO; JPO;	
,			DERWENT;	
			IBM_TDB	
-	33	(((712/210,205).CCLS.) and (instruction near	USPAT;	2004/08/18 17:38
		((three "3") near bytes))) and @ad <	US-PGPUB;	
	["20010430"	EPO; JPO;	
			DERWENT;	
	1 .	/// /	IBM_TDB	2004/08/18 17:49
-	8	(((711/201,202,212,219).CCLS.) and column)	USPAT;	2004/08/18 17:49
	1	and (instruction near ((three "3") near	US-PGPUB; EPO; JPO;	
		bytes))	DERWENT;	
			IBM TDB	
	2	"ep 1050818"	USPAT;	2004/08/18 18:30
	4		US-PGPUB;	2001,00,10 10.30
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
_	20	(((rom prom) with instruction) with fetch	USPAT;	2004/08/18 18:35
		with ((single one) near4 cycle))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	289	(((rom prom) with instruction) same column)	USPAT;	2004/08/18 18:35
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1)	IBM_TDB	2004/09/19 19-44
-	21		USPAT; US-PGPUB;	2004/08/18 18:44
		and ((three near byte) with instruction)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	21	((((rom prom) with instruction) same column)	USPAT;	2004/08/18 18:36
		and ((three near byte) with instruction))	US-PGPUB;	
		and @ad < "20010430"	EPO; JPO;	
	1-		DERWENT;	
			IBM_TDB	
_	8	(((rom prom) with instruction) same column)	USPAT;	2004/08/18 18:46
		and (embedded with memory)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/100
-	8	(((rom prom (one near time near program\$5))	USPAT;	2004/08/18 19:35
		with instruction) same column) and (embedded	US-PGPUB;	· ·
		with memory)	EPO; JPO;	
			DERWENT; IBM TDB	
	150	(712/37) CCLS	USPAT;	2004/08/18 19:36
_	150	(712/37) .CCLS.	US-PGPUB;	2004/00/10 19:30
			EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
1.		1		4

				0001/00/10 10 36
-	146	((712/37).CCLS.) and @ad < "20010430"	USPAT;	2004/08/18 19:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	535	((712/210,205).CCLS.) and @ad < "20010430"	USPAT;	2004/08/18 19:45
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	173	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 19:48
		and ((rom prom micro) with instruction)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	36	((((712/210,205).CCLS.) and @ad <	USPAT;	2004/08/19 13:59
1	50	"20010430") and ((rom prom micro) with	US-PGPUB;	
		instruction)) and ((single one "1") with	EPO; JPO;	
		cycle with fetch)	DERWENT;	
		cycle with recent	IBM TDB	
	10	((((712/210,205).CCLS.) and @ad <	USPAT;	2004/08/19 18:30
_	10	"20010430") and ((rom prom micro) with	US-PGPUB;	
		instruction)) and ((("24" adj bit) ((three	EPO; JPO;	
		"3") near bytes)) near3 bus)	DERWENT;	
		J / Hear byces// Hears bab/	IBM TDB	
	180	((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/19 18:34
_	1.00	with instruction)) and ((("24" adj bit)	US-PGPUB;	
		((three "3") near bytes)) near3 bus)	EPO; JPO;	
		((three "5") hear byces, hears bub,	DERWENT;	
	ļ		IBM TDB	
	101	(((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/19 18:31
<u> </u>	121	with instruction)) and ((("24" adj bit)	US-PGPUB;	2001,00,10
		((three "3") near bytes)) near3 bus)) and	EPO; JPO;	
			DERWENT;	
		microprocessor	IBM TDB	•
		// ord #20010420#) and //rom prom migro)	USPAT;	2004/08/19 18:35
_	77		US-PGPUB;	2004/00/15 10.33
		with instruction)) and ((("24" adj bit)	,	
		((three "3") near bytes)) near3 bus) with	EPO; JPO; DERWENT;	
		(data instruction)) and microprocessor	1	
		1 (() () () () () () () () ()	IBM_TDB	2004/08/20 15:29
-	44	((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/20 15:29
		with instruction)) and (((("24" adj bit)	US-PGPUB;	
		((three "3") near bytes)) near3 ((data	EPO; JPO;	1
		instruction) adj bus)))and microprocessor	DERWENT;	
			IBM_TDB	L